

# ADAULD Error Messages

The following message groups are described:

- ADAULD Errors (ERROR-121 - ERROR-144)
  - ADAULD Information Messages
- 

## ADAULD Errors (ERROR-121 - ERROR-144)

### Overview of Messages

ERROR-121	ERROR-122	ERROR-123	ERROR-124	ERROR-125	ERROR-126
ERROR-127	ERROR-128	ERROR-129	ERROR-130	ERROR-131	ERROR-132
ERROR-133	ERROR-134	ERROR-135	ERROR-136	ERROR-137	ERROR-138
ERROR-139	ERROR-140	ERROR-141	ERROR-142	ERROR-143	ERROR-144

#### **ERROR-121 CIPHER-CODE MISSING**

**Explanation:** The file is ciphered but no cipher code is supplied.

**Action:** Supply the correct cipher code and rerun the ADAULD job.

#### **ERROR-122 CIPHER CODE SUPPLIED, BUT FILE IS NOT CIPHERED**

**Action:** Remove the cipher code and rerun the ADAULD job.

#### **ERROR-123 NO RECORDS SELECTED**

**Explanation:** No records found according to the given search criterion. The resulting unloaded file contains only the field definition table (FDT).

#### **ERROR-124 ERROR LIMIT REACHED**

**Explanation:** "error-count" errors have occurred (the displayed message contains an actual count). ADAULD execution is terminated.

#### **ERROR-125 INVALID VALUE FOR PARAMETER 'NUMOUT'**

**Explanation:** NUMOUT must be 1 or 2. If NUMOUT=2, user exit 9 must be loaded.

**Action:** Supply a correct parameter or a user exit, and rerun the job.

**ERROR-126 'SELVAL' PARAMETER MISSING**

**Action:** Supply a valid selection criterion and rerun the job.

**ERROR-127 INVALID VALUE FOR THE PARAMETER 'LRECL' OR 'LPB'**

**Explanation:** The LRECL and LPB parameters must be less than 32,768.

**Action:** Supply the correct parameter value and rerun the ADAULD job.

**ERROR-128 DIFFERENT RECORD LENGTHS FOR DDOUT1 AND DDOUT2**

**Explanation:** The maximum record lengths of the output datasets must be equal.

**Action:** Supply the correct output datasets and rerun the ADAULD job.

**ERROR-129 INVALID 'SORTSEQ' PARAMETER parameter**

**Explanation:** The field cannot be used to determine the unload sequence because it

- is undefined;
- is not a descriptor;
- is a phonetic descriptor; or
- (or part of the field) is within a periodic (PE) group.

**Action:** Choose another sequence, and rerun the ADAULD job.

**ERROR-130 DESCRIPTOR desc-name HAS option OPTION**

**Explanation:** Unloading the file in descriptor "desc-name" sequence may lead to variations in the normal sequence (anomalies).

**Action:** If you nevertheless want to perform that unload sequence, supply the "option" parameter. Otherwise, choose another unload sequence. Then rerun the ADAULD job.

**ERROR-131 INVALID ETID PARAMETER**

**Explanation:** The file to be unloaded is not defined with the multiclient option.

**Action:** Remove the ETID parameter and rerun the ADAULD job.

**ERROR-132 MISSING ETID PARAMETER**

**Explanation:** The file to be unloaded is defined with the multiclient option. Selecting records according to a search criterion requires that a single ETID be specified.

**Action:** Specify the ETID parameter, and rerun the ADAULD job.

**ERROR-133 THE FILE NUMBER SUPPLIED IS A CHECKPOINT OR SECURITY FILE**

**Explanation:** Checkpoint and security files may not be unloaded.

**Action:** Supply a correct input file and rerun the job.

**ERROR-134 INVALID SAVE TAPE SUPPLIED**

**Explanation:** The dataset supplied as the DD/SAVE input dataset is not a save tape.

**Action:** Supply a valid save tape and rerun the job.

**ERROR-135 INVALID PROTECTION LOG SUPPLIED**

**Explanation:** Once of the following occurred:

- The requested protection log has DBID dbid1, session number plognum1, but the supplied protection log has DBID dbid2, session number plognum2.
- The SYN1/SYN4 checkpoint is not contained in the protection log block blocknumber.
- The SYN2/SYN5 checkpoint is not contained anywhere on the protection log.
- Another SYN1/SYN4 checkpoint was encountered before the expected SYN2/SYN5 checkpoint.
- The supplied input tape is not a protection log.

**Action:** Supply the correct protection log and parameters, and rerun the job.

**ERROR-136 TEMP DATASET TOO SMALL**

**Explanation:** The temp dataset is not large enough to buffer all Data Storage blocks found for file *file-number* on the protection log.

**Action:** Supply a larger temp dataset and rerun the job.

**ERROR-137 THE INPUT TAPES OF A MULTIVOLUME SAVE DATASET ARE MOUNTED IN THE WRONG ORDER**

**Explanation:** The tapes of a multivolume dataset are mounted in the wrong order. ADAULD terminates.

**Action:** Supply the tapes in the correct order and rerun the job.

**ERROR-138 ERROR DURING DSF PROCESSING**

**Explanation:** An error occurred while the Adabas Delta Save Facility was processing the requested function for the delta save dataset. The Delta Save Facility returned the response code provided in the message.

**Action:** Refer to the information for the specified response code. Correct the error and rerun the job.

**ERROR-139 UNLOAD WITHOUT FULL SAVE NOT POSSIBLE**

**Explanation:** The full save tape required to unload from a delta save dataset is not supplied.

**Action:** Supply the fullsave dataset and rerun the job.

**ERROR-140 INVALID VALUE FOR THE PARAMETER CODE**

**Explanation:** A valid value has at most eight (8) digits or blanks.

**Action:** Supply a valid parameter value and rerun the job.

**ERROR-141 NO PROTECTION LOG SUPPLIED**

**Explanation:** The unloaded file was changed during an online save operation but no protection log is supplied. The unloaded data is probably inconsistent.

**ERROR-142 INVALID DDISN PARAMETER**

**Explanation:** The DDISN parameter must not be specified if SORTSEQ=descriptor,MU is also specified, or if the descriptor specified with SORTSEQ is a hyperdescriptor.

**Action:** Supply the correct parameter value and rerun the job.

**ERROR-143 THE INPUT DATASET/FILE DDEBAND OR DDISN DOES NOT HAVE THE RECORD FORMAT VARIABLE OR VARIABLE BLOCKED (V OR VB)**

**Explanation:** The record format of DD/EBAND and DD/ISN must be V or VB.

**Action:** Supply the correct input and rerun the job.

**ERROR-144 INVALID ET-ID**

**Explanation:** When running DECOMPRESS on a multiclient file, Adabas processes either

- the entire file if ET-ID is not specified; or
- the selection of records allowed for the client identified by ET-ID.

The user ID referred to by the 'ETID' parameter is either not defined or has not been assigned an owner ID.

**Action:** Investigate the cause of the error; correct it; and rerun the job.

## ADAULD Information Messages

**MODE=SHORT WILL BE FORCED FOUND FIELD(S) DEFINED WITH COLDE OPTION**

**Explanation:** At least one field was found with the collation descriptor option defined. In this case, MODE=SHORT is required. Adabas has forced this parameter setting.

**Action:** None required. This message is for information only.